U.S. Patent Appln. S.N. 09/914,305 AMENDMENT AFTER FINAL REJECTION

PATENT

$$R^3$$
 R^2
 R^4
 R^5
 R^1
 R^6
 R^7
 R^8
 R^8
 R^8

wherein

the rings containing A and B have a double bond in the allowed position having an aromatic character;

A and B are selected from sulfur (S), oxygen (O) or CR^9 , R^9 being hydrogen, a C_1 - C_{20} -alkyl, C_3 - C_{20} -cycloalkyl, C_2 - C_{20} -alkenyl, C_6 - C_{20} -aryl, C_7 - C_{20} -alkylaryl, or C_7 - C_{20} -arylalkyl radical, optionally containing heteroatoms belonging to groups 13 or 15-17 of the Periodic Table of the Elements, with the proviso that if A is S or O, B is CR^9 or if B is S or O, A is CR^9 , and A and B cannot simultaneously be CR^9 ;

 R^1 , R^2 , R^3 , R^4 , R^5 , R^6 , R^7 , and R^6 which may be the same as or different from each other, are hydrogen, a C_1 - C_{26} -alkyl,

U.S. Patent Appln. S.N. 09/914,305 AMENDMENT AFTER FINAL REJECTION

PATENT

 C_3 - C_{20} -cycloalkyl, C_2 - C_{2c} -alkenyl, C_6 - C_{20} -aryl, C_7 - C_{2c} -alkylaryl, or C_7 - C_{20} -arylalkyl radical, optionally containing heteroatoms belonging to groups 13 or 15-17 of the Periodic Table of the Elements, and at least two adjacent substituents R^1 and R^2 , R^3 and R^4 , or R^5 and R^6 can form a ring comprising 4 to 8 atoms, and where at least one of R^2 , R^2 , R^4 , R^7 and R^8 is not hydrogen;

M is an atom of a transition metal selected from group 3, 4, 5, 6 or the lanthanide or actinide groups in the Periodic Table of the Elements,

X, which may be the same as or different from each other, is hydrogen, halogen atom, a R^{10} , OR^{10} , OSO_2CF_3 , $OCOR^{10}$, SR^{10} , NR^{10} , or PR^{10} , group, wherein the substituents R^{10} are hydrogen, a C_1 - C_{20} -alkyl, C_3 - C_{20} -cycloalkyl, C_2 - C_{20} -alkenyl, C_6 - C_{20} -aryl, C_7 - C_{2c} -alkylaryl, or C_7 - C_{20} -arylalkyl radical, optionally containing heteroatoms belonging to groups 13 or 15-17 of the Periodic Table of the Elements;

p is an integer of from 1 to 3, being equal to the oxidation state of the metal M minus 2;

and

(B) at least one member selected from the group consisting of an alumoxane and a compound of formula $D^{\dagger}E^{-}$, wherein D^{*} is a Brønsted acid, which gives a proton and reacts irreversibly with a substituent

U.S. Patent Appln. S.N. 09/914,305 AMENDMENT AFTER FINAL REJECTION

PATENT

X of the metallocene of formula (I) and E^- is a compatible anion, which stabilizes the active catalytic species originating from the reaction of the two compounds, and which is removed by an olefinic monomer.